

The new FixConn[™] range of construction fasteners by Bremick provides a full solution of heavy duty fasteners for timber, steel and concrete.










SHARKS TOOTH™ CONSTRUCTION SCREW



For fastening heavy timber to timber







T30 Torx Drive Washer Head

Broad holding power means materials are brought together and held in position, resisting warp and head pull through. Larger surface area for positive bit engagement and extreme torque.

Sharks Tooth[™] Thread

Provides an aggressive cutting action, dramatically decreasing installation time.

B8 Coating

Provides maximum corrosion protection in the harshest environments.




HEAVY DUTY CONSTRUCTION SCREW



For heavy duty fastening timber to timber







· T40 Torx Drive Washer Head

Broad holding power means materials are brought together and held in position, resisting warp and head pull through. Larger surface area for positive bit engagement and extreme torque.

7 TPI Thread with Swarf Channel

Penetrates large material easily. Provides maximum friction resistance and protection in wet environments.

• Technoguard Zinc Rich Alu-Flake Polymer Coating

Multi-layered Class 3 protective coating, compatible for use in treated timbers.


HEAVY DUTY LANDSCAPING SCREW



For heavy duty fastening timber to timber







- Hex Drive Countersunk Head For a flush finish.
- Knurled Shank and Swarf Channel
 Helps prevent board lift and removes debris for faster drilling.
- Technoguard Zinc Rich Alu-Flake Polymer Coating
 Multi-layered Class 3 protective coating, compatible for use in treated timbers.

GAUGE	LENGTH	DRIVE	
14G	175mm	Hex 6mm	
14G	200mm		
16G	225mm		
16G	250mm	Hex 6mm	

CONSTRUCTION SCREWS


METAL DRILLING BATTEN SCREW



For medium duty fastening timber to metal batten







· Hex Drive Countersunk Head

Matches the standard bugle batten range with a flush finish for fixing timber to metal.

Self Drilling Tip

Fasten to metal up to 5mm thick.

B8 Coating

Provides maximum corrosion protection in the harshest environments.




WINGED DEEP DRILLER - METAL



For heavy duty fastening timber to Lintels and I beams







T30 Torx Drive and Truss Head

Broad holding power means materials are brought together and held in position, resisting warp and head pull through. Positive bit engagement allowing for maximum torque to be applied.

- 14 TPI Thread with Swarf Channel and Winged Deep Driller For deep drilling into steel up to 12.5mm thick, no need to pre-drill.
- B8 Coating

Provides maximum corrosion protection in the harshest environments.




HEAVY DUTY CONCRETE SCREW



For heavy duty fastening bottom plate and timber to concrete slab







· T40 Torx Drive Washer Head

Broad holding power means materials are brought together and held in position, resisting warp and head pull through. Larger surface area for positive bit engagement and extreme torque.

• 10 TPI Thread

For deep penetration into concrete. Pre-drill hole of 6mm required.

B8 Coating

Provides maximum corrosion protection in the harshest environments.






THE RANGE

	DRIVE	PACK 50	PACK 100	PACK 250
SHARKS TOOTH™ CONSTRUCTION SCREW B8™ COATED				
Sharks Tooth 14g x 75mm B8 Coated	TORX 30		STWSTC8140752T	STWSTC8140752K
Sharks Tooth 14g x 100mm B8 Coated	TORX 30		STWSTC8141002T	STWSTC8141002K
HEAVY DUTY CONSTRUCTION SCREW TECHNOGUARD				
Construction Screw 16g x 125mm T3 Technoguard	TORX 40	STWSTCT161252R		
Construction Screw 16g x 150mm T3 Technoguard	TORX 40	STWSTCT161502R		
Construction Screw 16g x 175mm T3 Technoguard	TORX 40	STWSTCT161752R		
Construction Screw 16g x 200mm T3 Technoguard	TORX 40	STWSTCT162002R		
HEAVY DUTY LANDSCAPE SCREW TECHNOGUARD				
Landscape Screw 14g x 175mm T3 Technoguard	HEX 6mm	SLSCT141754		
Landscape Screw 14g x 200mm T3 Technoguard	HEX 6mm	SLSCT142004		
Landscape Screw 16g x 225mm T3 Technoguard	HEX 6mm	SLSCT162254		
Landscape Screw 16g x 250mm T3 Technoguard	HEX 6mm	SLSCT162504		
METAL DRILLING BATTEN SCREW B8™ COATED				
Batten Screw 14g x 50mm B8 Coated	HEX 5mm		SMBBIC8140502T	SMBBIC8140502K
Batten Screw 14g x 75mm B8 Coated	HEX 5mm		SMBBIC8140752T	SMBBIC8140752K
Batten Screw 14g x 100mm B8 Coated	HEX 5mm			SMBBIC8141002K
WINGED DEEP DRILLER – METAL B8™ COATED				
Winged Deep Driller 14g x 65mm B8 Coated	TORX 30		SWTLTC8140652T	SWTLTC8140652K
Winged Deep Driller 14g x 80mm B8 Coated	TORX 30		SWTLTC8140802T	SWTLTC8140802K
Winged Deep Driller 14g x 105mm B8 Coated	TORX 30		SWTLTC8141052T	
HEAVY DUTY CONCRETE SCREW B8™ COATED				
Concrete Screw 16g x 105mm B8 Coated	TORX 40		SNWSTC8161052T	

SYSTEM MATCHED DRIVER BITS





DRIVE	SIZE	LENGTH	CARDED
Torx	30	50mm	TSTMP30050C
Torx	40	50mm	TSTMP40050C

Bremick genuine driver bits are system matched for optimum performance when installing the FixConnTM range of construction fasteners. Our driver bits are manufactured to conform to International Standard specifications, providing the best possible internal recess fit.

SUPERIOR COATING TECHNOLOGY

QUALITY TESTED AND ASSURED



B8™ COATINGDouble the
corrosion protection
of conventional
Class 4 in category
5 environments



TECHNOGUARD COATING Multi-layered Class 3 protective coating, compatible for use in treated timbers



The Bremick FixConn[™] range of construction screws has undergone rigorous testing to ensure compliance with the relevant Standards. These testing procedures ensure product suitability for the harsh Australian and New Zealand building construction environments. Testing is undertaken in our own NATA accredited laboratory and independently audited outdoor exposure test sites.

CONTACT US - bremick.com.au - bremick.co.nz

Australia (Sydney) E sales@bremick.com.au P +61 2 8332 1500 New Zealand (Auckland) E nthnzsales@bremick.co.nz P 9525 2244 New Zealand (Wellington) E nthnzsales@bremick.co.nz P 4566 9363 New Zealand (Christchurch) E sthnzsales@bremick.co.nz P 3365 8998